

## FMGSA ANNUAL INSPECTION FORM HYUNDA! TRANSLEAD

Plant: Bivd. Hyundai No. 41, Col. Ampliación Constitución,
Playas de Rosarito, Baja California, MX. CP 22707
Corporate Office: 8880 Rio San Diego Drive, Ste # 600
\_\_San Diego, CA 92108

cection Facility: HT Rosarito Plant	I - P & mber:	KR993032	Hubodomerer of accorate	
See Secreto, Baja California,	Catameri		S.A.P. Number	TO CONTRACT TO SERVICE AND SER
	Number:		License Plate Number	The second second
Dector Date: 4/2018 Pass Fas	Repair Date:	Make: Hyunds	Year / Mods	and the second second

52172	ITEMS #4SPECTED	ОК	NEEDS REPAIR	ITEMS INSPECTED
REPAIR	BRAKE SYSTEM		,	SAFE LOADING
	Service Brakes			Part(s) of vehicle or condition of loading such as
	Parking Brake System		ALLANO LITTER	spare tire or any part of the load or dunnage can
:	Brake Drums or Rotors	1		fall onto the roadway
	Brake Hose			Protection against shifting cargo
	Brake Tubing			STEERING MECHANISM
	Audible Air Leaks	, and the same of		For units with Steeracle Rear Axle.
	COUPLING DEVICES			SUSPENSION
	Fifth Wheels / Upper Coupler	}		Any U Bolt(s), spring hanger(s) or other axle
	Pintle Hooks	*		positioning part(s) cracked, broken, loose or
	Drawbar / Towbar Eye			missing resulting in shifting of an axle from it's
9.2	Drawbar / Towbar Tongue		5 Tes 10 19 19	normal position
	Safety Devices	I de la companya de l	1	Spring assembly
	Saddle-Mounts	-	į	Torque, radius or tracking component
	EXHAUST SYSTEM / REFRIGERATED UNITS			FRAME
	No part of the exhaust system of any motor			Frame members
Ì	vehicle shall be located as would be likely			Tire and Wheel Clearance
	to result in burning, charring or damaging	2.7		Adjustable Axle Assemblies (Sliding Sub-Frame)
	the electrical wiring, the fuel supply, or any			TIRES
	combustible part of the motor vehicle			WHEELS AND RIMS
	FUEL SYSTEM / REFRIGERATED UNITS		ļ	Lock of Side Ring
	Visible leak		A Company of the Comp	Wheels and Rims
ì	Fuel tank filler cap missing	ś	3	Fasteners
	Fuel tank securely attached			, Welds
W 165	LIGHTING DEVICES			UNIT NUMBERS DISPLAYED
	All lighting devices and reflectors required			SPLASH GUARDS
	by Section 393 shall be operable.			Driver Side
			7	Passenger Side

I have inspected the vehicle described above and certify that all entries are true and correct. I certify that this inspection meets the requirements of 49 CFR Part 396.17 and is in accordance with Appendix G to Subchapter B, Minimum Periodic inspection Standards, and the vehicle has passed / falled as indicated above.

INSPECTOR'S NAME (Please	e Print).	
INSPECTOR'S SIGNATURE:		